


AMENDMENTS TO THE CLAIMS

Claims 1-21 (Cancelled)

Claim 22 (New): A method for selectively controlling broad-leaved weeds and grasses in crops of useful plants resistant to protoporphyrinogen oxidase inhibitors, said method comprising applying to said crop plants resistant to protoporphyrinogen oxidase inhibitors or their habitats, a herbicidal synergistic composition comprising, in addition to customary inert formulation auxiliaries, a mixture of

- a) a herbicide which inhibits the action of protoporphyrinogen oxidases and
- b) at least one further pesticide selected from the group consisting of co-herbicides, fungicides and insecticides/acaricides, wherein the herbicide a) is a compound of the formula A




Claim 23 (New): The method according to claim 22, which comprises at least one further co-herbicide.

Claim 24 (New): The method according to claim 22 wherein the crops of useful plants resistant to protoporphyrinogen oxidase inhibitors are selected from the group consisting of maize, sugar beet, soya beans, rape, cotton, sunflowers, cereals, rice and sugar.

Claim 25 (New): The method according to claim 22, wherein the co-herbicide b) is a compound selected from the group consisting of atrazine, terbuthylazine, (S)-metolachlor, metolachlor, terbutryn, simazine, dimethenamid or (S)-dimethenamid, flufenacet, acetochlor, alachlor, isoxaflutole, isoxachlortole, mesotrione, sulcotrione, metosulam, flumetsulam, pendimethalin, bromoxynil, bentazone, carfentrazone-ethyl, clomazone, nicosulfuron, rimsulfuron, halosulfuron-methyl, metribuzin, flumiclorac-pentyl, prosulfuron, primisulfuron-methyl, dicamba, fluthiacet-methyl, pyridate, 2,4-D, clopyralide, diflufenzopyr, fluroxypyr, MCPA, MCPB, mecoprop (MCP),

metobenzuron, thifensulfuron-methyl, aclonifen, EPTC, glyphosate, glufosinate, sulfosate and

cyanazine, and a compound of the formula B,



Claim 26 (New): The method according to claim 25, where the co-herbicide b) is a compound selected from the group consisting of (S)-metolachlor, metolachlor, dimethenamid or (S)-dimethenamid, acetochlor and alachlor.


Claim 27 (New): The method according to claim 26, comprising as additional component c) a safener of the benzoxazin type, MON 4660, flurazole, dichlormid or furilazole.

Claim 28 (New): The method according to claim 22, wherein the crop is sugar beet, and the co-herbicide b) is a compound selected from the group consisting of metolachlor, (S)-metolachlor, propaquizafop, metamitron, pyramin, phenmedipham, desmedipham, ethofumesate, triasulfuron, chloridazon, lenacil, triallate, fluazifop, sethoxydim, quizalofop, fenoxaprop, glyphosate, glufosinate, sulfosate and clethodim.

Claim 29 (New): The method according to claim 22, wherein the crop is soya, and the co-herbicide b) is a compound selected from the group consisting of metolachlor, (S)-metolachlor, oxasulfuron, fluthiacet-methyl, propaquizafop, alachlor, dimethenamid or (S)-dimethenamid, acifluorfen, benazolin-ethyl, bentazone, carfentrazone-ethyl, sulfentrazone, chlorimuron-ethyl, cloransulam-methyl, thifensulfuron-methyl, clopyralid, flumiclorac-pentyl, flumetsulam, fomesafen, imazamox, imazaquin, imazethapyr, imazapyr, lactofen, pyridate, sethoxydim, fluazifop, quizalofop, clethodim, fenoxaprop(P-ethyl), thidiazuron, tribufos, pendimethalin, glyphosate, glufosinate, sulfosate and trifluralin.

Claim 30 (New): The method according to claim 22, wherein the crop is rape, and the co-herbicide b) is a compound selected from the group consisting of dimethachlor, propaquizafop, clomazone, napropamide, quinmerac, metazachlor, carbetamide, dimefuron, propyzamide, clopyralid, ethametsulfuron-methyl, sethoxydim, fluazifop, quizalofop, clethodim, fenoxaprop(P-ethyl), glyphosate, glufosinate, sulfosate and tebutam.

Claim 31 (New): The method according to claim 22, wherein the crop is cotton, and the co-herbicide b) is a compound selected from the group consisting of fluometuron, prometryn, metolachlor, (S)-metolachlor, norflurazon, propaquizafop, pyriithiobac-sodium, trifluralin, pendimethalin, bromoxynil, clomazone, MSMA, DMSA, fluazifop, quizalofop, fenoxaprop(P-ethyl), sethoxydim, clethodim, diuron, cyanazine, alachlor, acetochlor, flurochloridone, dithiopyr, thiazopyr, lactofen, oxyfluorfen, glyphosate, glufosinate, sulfosate, ethalfluralin, and the compound of the formula C



Claim 32 (New): The method according to claim 22, wherein the crop is sunflowers, and the co-herbicide b) is a compound selected from the group consisting of metolachlor, (S)-metolachlor, pendimethalin, aclonifen, flurochloridon, prometryn, sethoxydim, fluazifop, quizalofop, clethodim, fenoxaprop(P-ethyl), terbutryn, acetochlor, glyphosate, glufosinate, sulfosate and trifluralin.

Claim 33 (New): The method according to claim 22, wherein the crop is cereals, and the co-herbicide b) is a compound selected from the group consisting of triasulfuron, prosulfuron, clodinafop, terbutryn, amidosulfuron, bromoxynil, carfentrazone-ethyl, dicamba, diclofop-methyl, diflufenican, ethoxysulfuron, fenoxaprop(P-ethyl), fentrazamide, flazasulfuron, florasulam, fluazolate, flucarbazone, flufenacet, flupyrsulfuron-methyl sodium, flurtamone, iodosulfuron, isoproturon, chlortoluron, MCPA, MCPB, mecoprop (MCP), chlorsulfuron, metsulfuron-methyl, sulfosulfuron, thifensulfuron-methyl, tribenuron-methyl, 2,4-D, 2,4-DB, 2,4-DP, bifenox, ethametsulfuron-methyl, flamprop-M, imazamethabenz-methyl, ioxynil, bromoxynil, metosulam, pyridate, quinmerac, tralkoxydim, fluoroglyphofen-ethyl, methabenzthiazuron, ethalfluralin, pendimethalin, trifluralin, isoxaben, prosulfocarb, triallate, clopyralid, fluroxypyr, benazolin-ethyl, glyphosate, glufosinate, sulfosate and difenzoquat-metilsulfate.


Claim 34 (New): The method according to claim 33, where the co-herbicide b) is a compound selected from the group consisting of triasulfuron, prosulfuron, clodinafop, amidosulfuron, diclofop-

methyl, fenoxaprop(P-ethyl), flazasulfuron, flupyrsulfuron-methyl sodium, iodosulfuron, mecoprop (MCP), chlorsulfuron, metsulfuron-methyl, sulfosulfuron and thifensulfuron-methyl.

Claim 35 (New): The method according to claim 34, comprising as additional component c) a safener of the quinoline type.

Claim 36 (New): The method according to claim 35, wherein the safener is cloquintocet-mexyl.

Claim 37 (New): The method according to claim 22, wherein the crop is rice, and the co-herbicide b) is a compound selected from the group consisting of pretilachlor, cinosulfuron, triasulfuron, fenclorim, clodinafop, bensulfuron-methyl, imazosulfuron, pyrazosulfuron-ethyl, metsulfuron-methyl, azimsulfuron, halosulfuron-methyl, esprocarb, mefenacet, molinate, propanil, pyrazolate, cyhalofop-butyl, fenoxaprop(P-ethyl), bispyribac-sodium, pyriminobac-methyl, cafenstrole, oxadiargyl, oxadiazon, bromobutide, MY-100, dymron, NB 061, MK243, HW-52, glyphosate, glufosinate, sulfosate, AC 014, and the compound of the formula D



Claim 38 (New): The method according to claim 22, wherein the crop is sugar cane, and the co-herbicide b) is a compound selected from the group consisting of atrazine, ametryn, dicamba, terbutryn, prosulfuron, hexazinone, asulam, diuron, 2,4-D, halosulfuron-methyl, flazasulfuron, isoxaflutole, azafenidin, tebuthiuron, sulcotrione, pendimethalin, clomazone, metribuzin, thiazopyr, glyphosate, glufosinate, sulfosate and ethoxysulfuron, and also the compound of the formula C

